

Search

Show only items where Author

Type

Term

Year

Keyword

Export 5 results:

- [BibTeX](#) [1]
- [RTF](#) [2]
- [Tagged](#) [3]
- [EndNote XML](#) [4]
- [RIS](#) [5]

- [Author](#) [6]
- [Title](#) [7]
- [Year](#) [8]

**Filters:** Author is *S. Biasotti* [\[Clear All Filters\]](#) [9]

2017

[E. Thompson M](#) [10], [Biasotti S.](#) [11]. [Analysis of a multi-ring technique for 3D pattern recognition](#) [12]. Genova: CNR-IMATI; 2017.

- [Google Scholar](#) [13]
- [BibTeX](#) [14]
- [RTF](#) [15]
- [Tagged](#) [16]
- [EndNote XML](#) [17]
- [RIS](#) [18]

2016

[Biasotti S.](#) [11], [Raffo A.](#) [19]. [Calcolo di descrittori ibridi geometria-colore per l'analisi di similarità di forme 3D](#) [20]. Genova: CNR-IMATI; 2016.

- [Google Scholar](#) [21]
- [BibTeX](#) [22]
- [RTF](#) [23]
- [Tagged](#) [24]
- [EndNote XML](#) [25]
- [RIS](#) [26]

[Patané G.](#) [27], [Cerri A.](#) [28], [Skytt V.](#) [29], [Pittaluga S.](#) [30], [Biasotti S.](#) [11], [Sobrero D.](#) [31], et al. [Comparing methods for the approximation of rainfall fields in environmental applications](#) [32]. Genova: CNR-IMATI; 2016.

- [Google Scholar](#) [33]
- [BibTeX](#) [34]
- [RTF](#) [35]
- [Tagged](#) [36]
- [EndNote XML](#) [37]
- [RIS](#) [38]

[Torrente ML](#) [39], [Biasotti S.](#) [11], [Falcidieno B.](#) [40]. [Feature curve identification in archaeological fragments using an extension of the Hough transform](#) [41]. Genova: CNR-IMATI; 2016.

- [Google Scholar](#) [42]
- [BibTeX](#) [43]
- [RTF](#) [44]
- [Tagged](#) [45]
- [EndNote XML](#) [46]
- [RIS](#) [47]

[Sobrero D.](#) [31], [Cerri A.](#) [28], [Biasotti S.](#) [11], [Pittaluga S.](#) [30], [Spagnuolo M.](#) [48]. [Persistence-based tracking of rainfall field maxima](#) [49]. Genova: CNR-IMATI; 2016.

- [Google Scholar](#) [50]
- [BibTeX](#) [51]
- [RTF](#) [52]
- [Tagged](#) [53]
- [EndNote XML](#) [54]
- [RIS](#) [55]

## Links

- [1] <http://archives.imati.cnr.it/ipa/export/bibtex?f%5Bauthor%5D=24>
- [2] <http://archives.imati.cnr.it/ipa/export/rtf?f%5Bauthor%5D=24>
- [3] <http://archives.imati.cnr.it/ipa/export/tagged?f%5Bauthor%5D=24>
- [4] <http://archives.imati.cnr.it/ipa/export/xml?f%5Bauthor%5D=24>
- [5] <http://archives.imati.cnr.it/ipa/export/ris?f%5Bauthor%5D=24>
- [6] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=24&o=asc&s=author>
- [7] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=24&o=asc&s=title>
- [8] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=24&o=asc&s=year>
- [9] <http://archives.imati.cnr.it/ipa/filter/clear?o=desc>
- [10] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=64&o=desc>
- [11] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=24&o=desc>
- [12] <http://irs.imati.cnr.it/reports/irs17-12>
- [13] [http://scholar.google.com/scholar?btnG=Search%2BScholar&as\\_q=%22Analysis%2Bof%2Ba%2Bmulti-ring%2Btechnique%2Bfor%2B3D%2Bpattern%2Brecognition%22&as\\_sauthors=Thompson&as\\_occt=any&as\\_epq=&as\\_oq=&as\\_eq=&as\\_publication=&as\\_ylo=&as\\_yhi=&as\\_sdtAAP=1&as\\_sdtP=1](http://scholar.google.com/scholar?btnG=Search%2BScholar&as_q=%22Analysis%2Bof%2Ba%2Bmulti-ring%2Btechnique%2Bfor%2B3D%2Bpattern%2Brecognition%22&as_sauthors=Thompson&as_occt=any&as_epq=&as_oq=&as_eq=&as_publication=&as_ylo=&as_yhi=&as_sdtAAP=1&as_sdtP=1)
- [14] <http://archives.imati.cnr.it/ipa/export/bibtex/38>
- [15] <http://archives.imati.cnr.it/ipa/export/rtf/38>
- [16] <http://archives.imati.cnr.it/ipa/export/tagged/38>
- [17] <http://archives.imati.cnr.it/ipa/export/xml/38>
- [18] <http://archives.imati.cnr.it/ipa/export/ris/38>
- [19] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=25&o=desc>
- [20] <http://irs.imati.cnr.it/reports/irs16-05>
- [21] [http://scholar.google.com/scholar?btnG=Search%2BScholar&as\\_q=%22Calcolo%2Bdi%2Bdescrittori%2Bibridi%2Bgeometria-colore%2Bper%2BI%27analisi%2Bdi%2Bsimilarit%C3%A0%2Bdi%2Bforme%2B3D%22&as\\_sauthors=Biasotti&as\\_occt=any&as\\_epq=&as\\_oq=&as\\_eq=&as\\_publication=&as\\_ylo=&as\\_yhi=&as\\_sdtAAP=1&as\\_sdtP=1](http://scholar.google.com/scholar?btnG=Search%2BScholar&as_q=%22Calcolo%2Bdi%2Bdescrittori%2Bibridi%2Bgeometria-colore%2Bper%2BI%27analisi%2Bdi%2Bsimilarit%C3%A0%2Bdi%2Bforme%2B3D%22&as_sauthors=Biasotti&as_occt=any&as_epq=&as_oq=&as_eq=&as_publication=&as_ylo=&as_yhi=&as_sdtAAP=1&as_sdtP=1)
- [22] <http://archives.imati.cnr.it/ipa/export/bibtex/16>
- [23] <http://archives.imati.cnr.it/ipa/export/rtf/16>
- [24] <http://archives.imati.cnr.it/ipa/export/tagged/16>
- [25] <http://archives.imati.cnr.it/ipa/export/xml/16>
- [26] <http://archives.imati.cnr.it/ipa/export/ris/16>
- [27] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=26&o=desc>
- [28] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=27&o=desc>
- [29] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=28&o=desc>
- [30] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=29&o=desc>
- [31] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=30&o=desc>

- [32] <http://irs.imati.cnr.it/reports/irs16-10>
- [33] [http://scholar.google.com/scholar?btnG=Search%2BScholar&as\\_q=%22Comparing%2Bmethods%2Bfor%2Bthe%2Bapproximation%2Bof%2Bbrainfall%2Bfields%2Bin%2Benvironmental%2Bapplications%22&as\\_sauthors=Patan%C3%A9&as\\_occt=any&as\\_epq=&as\\_oq=&as\\_eq=&as\\_publication=&as\\_ylo=&as\\_yhi=&as\\_sdtAAP=1&as\\_sdt=1](http://scholar.google.com/scholar?btnG=Search%2BScholar&as_q=%22Comparing%2Bmethods%2Bfor%2Bthe%2Bapproximation%2Bof%2Bbrainfall%2Bfields%2Bin%2Benvironmental%2Bapplications%22&as_sauthors=Patan%C3%A9&as_occt=any&as_epq=&as_oq=&as_eq=&as_publication=&as_ylo=&as_yhi=&as_sdtAAP=1&as_sdt=1)
- [34] <http://archives.imati.cnr.it/ipa/export/bibtex/17>
- [35] <http://archives.imati.cnr.it/ipa/export/rtf/17>
- [36] <http://archives.imati.cnr.it/ipa/export/tagged/17>
- [37] <http://archives.imati.cnr.it/ipa/export/xml/17>
- [38] <http://archives.imati.cnr.it/ipa/export/ris/17>
- [39] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=39&o=desc>
- [40] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=12&o=desc>
- [41] <http://irs.imati.cnr.it/reports/irs16-09>
- [42] [http://scholar.google.com/scholar?btnG=Search%2BScholar&as\\_q=%22Feature%2Bcurve%2Bidentification%2Bin%2Barchaeological%2Bfragments%2Busing%2Ban%2Bextension%2Bof%2Bthe%2BHough%2Btransform%22&as\\_sauthors=Torrente&as\\_occt=any&as\\_epq=&as\\_oq=&as\\_eq=&as\\_publication=&as\\_ylo=&as\\_yhi=&as\\_sdtAAP=1&as\\_sdt=1](http://scholar.google.com/scholar?btnG=Search%2BScholar&as_q=%22Feature%2Bcurve%2Bidentification%2Bin%2Barchaeological%2Bfragments%2Busing%2Ban%2Bextension%2Bof%2Bthe%2BHough%2Btransform%22&as_sauthors=Torrente&as_occt=any&as_epq=&as_oq=&as_eq=&as_publication=&as_ylo=&as_yhi=&as_sdtAAP=1&as_sdt=1)
- [43] <http://archives.imati.cnr.it/ipa/export/bibtex/20>
- [44] <http://archives.imati.cnr.it/ipa/export/rtf/20>
- [45] <http://archives.imati.cnr.it/ipa/export/tagged/20>
- [46] <http://archives.imati.cnr.it/ipa/export/xml/20>
- [47] <http://archives.imati.cnr.it/ipa/export/ris/20>
- [48] <http://archives.imati.cnr.it/ipa?f%5Bauthor%5D=11&o=desc>
- [49] <http://irs.imati.cnr.it/reports/irs16-11>
- [50] [http://scholar.google.com/scholar?btnG=Search%2BScholar&as\\_q=%22Persistence-based%2Btracking%2Bof%2Bbrainfall%2Bfield%2Bmaxima%22&as\\_sauthors=Sobrero&as\\_occt=any&as\\_epq=&as\\_oq=&as\\_eq=&as\\_publication=&as\\_ylo=&as\\_yhi=&as\\_sdtAAP=1&as\\_sdt=1](http://scholar.google.com/scholar?btnG=Search%2BScholar&as_q=%22Persistence-based%2Btracking%2Bof%2Bbrainfall%2Bfield%2Bmaxima%22&as_sauthors=Sobrero&as_occt=any&as_epq=&as_oq=&as_eq=&as_publication=&as_ylo=&as_yhi=&as_sdtAAP=1&as_sdt=1)
- [51] <http://archives.imati.cnr.it/ipa/export/bibtex/28>
- [52] <http://archives.imati.cnr.it/ipa/export/rtf/28>
- [53] <http://archives.imati.cnr.it/ipa/export/tagged/28>
- [54] <http://archives.imati.cnr.it/ipa/export/xml/28>
- [55] <http://archives.imati.cnr.it/ipa/export/ris/28>